



SS-1

Quick Guide v1.1




Need help?


To get help or learn more
<https://www.secu365.com/support>

1 What's Inside

1*SS-1




1*Power Adapter



2*Antenna



2 SS-1 Device Wiring Connection



Reset

Reset	Holding for 5s until the beeping sounds up	Reset all device settings
-------	--	---------------------------



Tel

1-866-866-8365




Support

www.secu365.com/support



Website


www.secu365.com



! Error

Internet

Power



Light Indication

Icon	Definition	Indication	LED Status
Power	Power	Solid light	Power On
		No light	Power Off
Internet	Internet	Solid light	Connected to Internet
		Blinking light	Connecting or Network issue
		No light	No Internet
Error	Error	Solid light	Please do the troubleshooting
		No light	Working Normally

3

Specifications

Technical Data	
Max Users	10,000
Max Video Clips	6,000
Max Logs	10,000
Max Fingerprint Templates	3000
Working Range	Up to 30m (98.42ft)
Max Devices Supported	32 terminals
Operating Temp	-10-55℃ (14-131°F)
Power	12V/2A adapter
Hardware	
Processor	1.5G 4Core
Memory	1GHz
Storage	8GB
Network	
Communication Method	Etherne TCP/IP
Safari Requirement	IE: 11 or newer / Chrome: 80 or newer
General	
Dimensions	220*218*95mm (8.66*8.58*3.742")
Weight(with box)	0.62kg (21.87oz)
Case	Plastic
APP Operating Requirement	Android: Android 5.0 or newer / IOS: IOS10 or newer

FCC warning statements:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

