

30"&36" BUILT-IN GAS COOKTOPS

**Tri-Ring Series** for Efficient and Versatile Cooking

Models: GLS30501, GLS36502

**FOTILE**

A BREATH OF FRESH ENGINEERING®

A mighty flame emerges from a tiny spark, a spark of inspiration, a spark of creativity, a spark of passion for the longing of embarking on a journey to taste every corner of the world. FOTILE's Tri-Ring Gas Cooktop provides easy, fast ignition, versatile functions, and precise controls to make cooking enjoyable and convenient. Whether you're cooking for one or a crowd, our 5-burner gas cooktop with a Tri-Ring Burner has the features you need to make everything from a simple breakfast to a multi-course feast.



## Features & Benefits



### Versatile Center Burner

- Up to 22,000 BTU for faster boiling or stir fry
- Control temperature precisely and heat up evenly



### Edge to Edge Cooking Grates

- Accommodates pots and pans of all sizes
- Allow for seamless transition of heavy pots and pans across burners



### Flame Failure Detection

- Cuts off the gas supply automatically if the flame is out during cooking, keeping your home and family safe



### Easy to Clean

- Sealed burners to prevent liquids from spilling into the burner box
- Removable burner caps, cast iron cooking grate and burner knobs



### High Heating Efficiency

- Burners designed by FOTILE R&D team are not only with powerful heating load, but also high efficient to save your cooking time



### Simmer Burner with 500-3,000 BTU Range

- Remains low, accurate, and consistent heat to help you flawlessly execute delicate dishes like melting coconut oil warming chocolate or thickening jam

Actual color may vary. Design, specifications and color availability are subject to change without notice. Non-metric weights and measurements are approximate. ©2022 FOTILE America LLC.

6 Campus Dr, Suite 210, Parsippany, NJ 07054 Tel: 1(888)315-0366 Web: [us.fotileglobal.com](http://us.fotileglobal.com)

FOTILE is a registered trademark of FOTILE Group



# 30"&36" BUILT-IN GAS COOKTOPS

## Tri-Ring Series for Efficient and Versatile Cooking

Models: GLS30501, GLS36502

# FOTILE

A BREATH OF FRESH ENGINEERING®



| MODEL                                  | GLS30501                                                                                                   | GLS36502                                                                                                   |
|----------------------------------------|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| Dimensions & Weight                    |                                                                                                            |                                                                                                            |
| Product Dimensions(WxDxH)(inch)        | 30 x 21 x 5 1/4                                                                                            | 36 x 21 x 6                                                                                                |
| Cut-out Dimensions(WxD)(inch)          | Min.28 1/2-Max.29 x Min.19 5/8-Max.20 1/8                                                                  | Min.33 7/8-Max.35 x Min.19 1/8-Max.20 1/2                                                                  |
| Countertop to grate surface(inch)      | 2 3/4                                                                                                      | 2 3/4                                                                                                      |
| Insert Chassis Height(inch)            | 2 1/2<br>(With Manifold Pipe 3 3/8)                                                                        | 3 1/4<br>(With Manifold Pipe 4 1/8)                                                                        |
| Net Weight(lb)                         | 48                                                                                                         | 59.5                                                                                                       |
| Gross Weight(lb)                       | 57.5                                                                                                       | 70.5                                                                                                       |
| Packing-Box Dimensions (WxDxH)(inch)   | 34 5/16 x 25 1/4 x 9 11/16                                                                                 | 40 x 25 3/16 x 11 13/16                                                                                    |
| Appearance Material                    |                                                                                                            |                                                                                                            |
| Panel                                  | Stainless Steel                                                                                            | Stainless Steel                                                                                            |
| Pan Grates                             | Heavy Duty Cast Iron                                                                                       | Heavy Duty Cast Iron                                                                                       |
| Burners                                | Brass, Aluminium                                                                                           | Brass, Aluminium                                                                                           |
| Knobs                                  | Kirsite, Nylon                                                                                             | Kirsite, Nylon                                                                                             |
| Technical Specifications               |                                                                                                            |                                                                                                            |
| Fuel Type                              | Natural Gas(Factory Set)                                                                                   | Natural Gas(Factory Set)                                                                                   |
| No. of Burner                          | 5                                                                                                          | 5                                                                                                          |
| Heating Load(BTU)                      | Center: 22K(Tri-Ring Power Boil)<br>Left Front/Left Rear: 13K<br>Right Rear: 3K(Simmer)<br>Right Front: 6K | Center: 22K(Tri-Ring Power Boil)<br>Left Front/Right Front: 13K<br>Right Rear: 3K(Simmer)<br>Left Rear: 6K |
| Total Output (BTU)                     | 57K                                                                                                        | 57K                                                                                                        |
| Electrical Supply                      | 120V, 60Hz, 15A                                                                                            | 120V, 60Hz,15A                                                                                             |
| Power Cord                             | Included                                                                                                   | Included                                                                                                   |
| Features and Functions                 |                                                                                                            |                                                                                                            |
| Full-Width Grates                      | Continuous                                                                                                 | Continuous                                                                                                 |
| Burner Type                            | Sealed                                                                                                     | Sealed                                                                                                     |
| Control Feature                        | Child Lock                                                                                                 | Child Lock                                                                                                 |
| Safety Device                          | Flame Failure Detection                                                                                    | Flame Failure Detection                                                                                    |
| Tri-Ring Wok Burner                    | √                                                                                                          | √                                                                                                          |
| Fast Ignition                          | √                                                                                                          | √                                                                                                          |
| Wall Oven Compatible                   | √                                                                                                          | √                                                                                                          |
| Accessories Included                   | Wok Grate<br>LP Conversion Kit                                                                             | Wok Grate<br>LP Conversion Kit                                                                             |
| Optional Accessory for Purchase        | Cast Iron Griddle                                                                                          | /                                                                                                          |
| Warranty: 5 YEARS PARTS, 2 YEARS LABOR |                                                                                                            |                                                                                                            |



## 30" & 36" BUILT-IN GAS COOKTOPS

**Tri-Ring Series** for Efficient and Versatile Cooking



Models: GLS30501, GLS36502

**FOTILE**


A BREATH OF FRESH ENGINEERING®

## Installation Details

### Installation Information:




| (inches) | Product Dimensions |               |                | Cut-out Dimensions     |                            | C     | D     | E     |
|----------|--------------------|---------------|----------------|------------------------|----------------------------|-------|-------|-------|
|          | A                  | B             | H              | a                      | b                          |       |       |       |
|          | Product Width      | Product Depth | Product Height | Cut-out Width          | Cut-out Depth              |       |       |       |
| GLS30501 | 30                 | 21            | 5 1/4          | Min. 28 1/2<br>Max. 29 | Min. 19 5/8<br>Max. 20 1/8 | 2 3/4 | 2 1/2 | 15/16 |
| GLS36502 | 36                 | 21            | 6              | Min. 33 7/8<br>Max. 35 | Min. 19 1/8<br>Max. 20 1/2 | 2 3/4 | 3 1/4 | 15/16 |




### Gas Connection:

Suggested Installation with No Appliance obstruction below the countertop



Suggested installation to avoid appliance interference below cooktop



\* FOTILE gas cooktops are manufactured and shipped to be used with natural gas. If you want to use LPG, please convert the cooktop to LPG following the instructions in the Installation Manual.

Actual color may vary. Design, specifications and color availability are subject to change without notice. Non-metric weights and measurements are approximate. ©2022 FOTILE America LLC.

6 Campus Dr, Suite 210, Parsippany, NJ 07054 Tel: 1(888)315-0366 Web: [us.fotileglobal.com](http://us.fotileglobal.com)

FOTILE is a registered trademark of FOTILE Group

