



www.jbctools.com

INSTRUCTION MANUAL



CLS8 / CLSP2

Metal Brushes / Non-Metal
Brushes (HMP) for CLS

This manual corresponds to the following references:

CLMS-A8* (metal)

CLMS-P2* (non-metal HMP)

**each ref. incl. 2 brushes*

Packing List

The following items should be included:



metal brushes



non-metal HMP brushes



Brushes for CLS 2 units

Manual 1 unit

Ref. 0027331

Features

Non-metal* brushes have a longer lifespan than metal brushes.

	CLMS-A8	CLMS-P2
Material	Metal	Non-Metal HMP
Cleaning	Intensive	Gentle
Max. time use	10 s	5 s
Recommended time use	1-2 s	1-2 s
Life cycle	Long	Extended*
Core	Black	Black




*** Only use the non-metal brushes when they are rotating. Incorrect use will damage them.**



Changing Brushes for CLS


1. Open the Splashguard

Unplug CLS from the mains and slide the tab on the top to open the splashguard.



2. Change the Brushes

Pull upwards the bottom end of the brushes to remove them and place the new ones following the same steps conversely.



Specifications

CLS8 / CLSP2

Metal Brushes / Non-Metal Brushes (HMP) for CLS

Ref.: **CLMS-A8**

Ref.: **CLMS-P2**

- Brush Dimensions: 34 x 34x 61 mm / 1.34 x 1.34 x 2.40 in

CLMS-A8

- Total Net Weight: 50 g / 0.11 lb
- Package Dimensions/Weight: 140 x 81 x 80 mm / 112 g
(L x W x H) 5.51 x 3.19 x 3.15 in / 0.25 lb

CLMS-P2

- Total Net Weight: 50 g / 0.11 lb
- Package Dimensions/Weight: 140 x 81 x 80 mm / 112 g
(L x W x H) 5.51 x 3.19 x 3.15 in / 0.25 lb

JBC

Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labour.

Warranty does not cover product wear or misuse.

In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.



www.jbctools.com