




LBD250 BOLLARD MOUNTS



BD250-1/2 Universal 1/2" Male Adapter (12V)
The 1/2" Adapter is intended for mounting to 1/2" NPS threaded devices. (Does not include ground stake)



BD250-LP Leveling Pedestal (12V)
The Leveling Pedestal is a perfect solution for installing onto a concrete footing. Equipped with three adjustable leveling feet, this mount corrects uneven surfaces up to 6" off horizontal. Designed to fit over up to three 3/4" bundled PVC conduits.







BD250-GS Ground Stake (12V)
The Ground Stake stabilizes our 250 series line of bollards. To be used for ground installations with remote transformer.



BD250-SM Surface Mount (12V)
The Surface Mount is equipped with stainless steel hardware and an unobtrusive spun copper escutcheon to hide mount screws. For durable installations of up to 30" high bollards mounted to solid, level surfaces only. Designed to fit over up to three 3/4" bundled PVC conduits.



BD250-TR Trident Spike (12V)
The Trident Spike stabilizes luminaires when mounted in loose soil with its 4x1/4" thick mount plate and three 12" stainless steel spikes.






LBD350 BOLLARD MOUNTS



BD250-1/2 Universal 1/2" Male Adapter (12V)
The 1/2" Adapter is intended for mounting to 1/2" NPS threaded devices. (Does not include ground stake)



BD250-LP Leveling Pedestal (12V)
The Leveling Pedestal is a perfect solution for installing onto a concrete footing. Equipped with three adjustable leveling feet, this mount corrects uneven surfaces up to 6° off horizontal. Designed to fit over up to three 3/4" bundled PVC conduits.






BD250-GS Ground Stake (12V)
The Ground Stake stabilizes our 250 series line of bollards. To be used for ground installations with remote transformer.



BD250-SM Surface Mount (12V)
The Surface Mount is equipped with stainless steel hardware and an unobtrusive spun copper escutcheon to hide mount screws. For durable installations of up to 30" high bollards mounted to solid, level surfaces only. Designed to fit over up to three 3/4" bundled PVC conduits.




BD250-TR Trident Spike (12V)
The Trident Spike stabilizes luminaires when mounted in loose soil with its 4x1 1/4" thick mount plate and three 12" stainless steel spikes.






LBD400 BOLLARD MOUNTS



BD400-LP Heavy Duty Leveling Pedestal (120V)

The Leveling Pedestal is a perfect solution for installing onto a concrete footing. Equipped with three adjustable leveling feet this mount corrects uneven surfaces up to 6° off horizontal. This mount is designed to fit over up to three 3/4" bundled PVC conduits. Recommended for concrete installations.



BD400-SM Heavy Duty Surface Mount (120V)

Machined from solid brass the Surface Mount is equipped with stainless steel hardware and a unobtrusive spun copper escutcheon to hide mount screws. For durable installations of up to 48" high bollards mounted to solid, level surfaces only. Designed to fit over up to three 3/4" bundled PVC conduits.

