


**SUBARU**

PART NUMBER: SOA3881300


**INSTALLATION
INSTRUCTIONS****DESCRIPTION:
SUBARU BATTERY TIE DOWN****A**

BATTERY TIE DOWN X 1

B

ATTENTION:
Installation instructions for this product are not included in this kit. To download the installation instructions, customers in the United States should visit the Subaru Technical Information System (STIS) website at <https://techno.subaru.com>. Customers in Canada should visit <http://www.subaru.ca/>.

REMARQUE:
Les instructions d'installation de ce produit ne sont pas incluses dans la présentation. Pour télécharger les instructions d'installation, les consommateurs américains doivent se rendre sur le site Subaru Technical Information System (STIS) à <https://techno.subaru.com/>. Les consommateurs canadiens doivent visiter le site <http://www.subaru.ca/>.

TOOLS REQUIRED

INSTRUCTIONS LABELS X1

10mm DEEP SOCKET

MEANING OF CHARACTERS : Remove**T** : Tighten Torque : Install : Loosen : Disconnect : Connect : Discard : Location of Clip or Screw : Re usePART NUMBER
SOA3881300ISSUE
01DATE
02/19/20


SUBARU OF AMERICA

PAGE
1/2


**SUBARU****INSTALLATION INSTRUCTIONS**

RE-USE

ALL MODELS




1: REMOVE CABLE TIE CLIP



RE-USE


ALL MODELS



2: REMOVE NUTS




ALL MODELS




3: REMOVE BATTERY TIE DOWN



ALL MODELS




4: INSTALL SUBARU BATTERY TIE DOWN




RE-USE

ALL MODELS

5: REINSTALL NUTS REMOVED IN 2.
TIGHTENING TORQUE: 3.5 NM
(0.4 KGF-M, 2.6 FT-LB)


RE-USE

ALL MODELS

6: REINSTALL CABLE TIE CLIP
REMOVED IN 1

**SUBARU**

NUMÉRO DE PIÈCE : SOA3881300


**INSTRUCTIONS
D'INSTALLATION****DESCRIPTION :
ATTACHE DE BATTERIE SUBARU****A**

ATTACHE DE BATTERIE X 1

B

ATTENTION:
Installation instructions for this product are not included in this kit. To download the installation instructions, customers in the United States should visit the Subaru Technical Information System (STIS) website at <https://techinfo.subaru.com>. Customers in Canada should visit <http://www.subaru.ca/>.

REMARQUE:
Les instructions d'installation de ce produit ne sont pas incluses dans la présente notice. Pour télécharger les instructions d'installation, les consommateurs américains doivent se rendre sur le site Subaru Technical Information System (STIS) à <https://techinfo.subaru.com>. Les consommateurs canadiens doivent visiter le site <http://www.subaru.ca/>.

OUTILS REQUIS

ÉTIQUETTES D'INSTRUCTIONS X1

DOUILLE LONGUE DE 10 MM

SIGNIFICATION DES SYMBOLES

: Retirer

: Installer

: Déconnecter

: Connecter

: Emplacement de l'attache ou de la vis

T : Couple de serrage


: Desserrer

: Jeter

: Réutiliser

**SUBARU****INSTRUCTIONS D'INSTALLATION**




RÉUTILISER

**TOUS LES
MODÈLES****1. RETIRER L'ATTACHE-CÂBLE**

10 mm




RÉUTILISER

**TOUS LES
MODÈLES****2. RETIRER LES ÉCROUS****TOUS LES
MODÈLES****3. RETIRER L'ATTACHE DE BATTERIE****TOUS LES
MODÈLES****4. INSTALLER L'ATTACHE DE
BATTERIE SUBARU**


10 mm



RÉUTILISER

**TOUS LES
MODÈLES****5. REMETTRE EN PLACE LES ÉCROUS
RETIRÉS À L'ÉTAPE 2. COUPLE DE
SERRAGE : 3,5 N.M (0,4 KGF-M, 2,6 LB-PI)**

RÉUTILISER

**TOUS LES
MODÈLES****6. REMETTRE EN PLACE L'ATTACHE-CÂBLE
RETIRÉ À L'ÉTAPE 1**