

H100BWA User Manual

1. Introduction


The product with PD, QC3.0 and wireless function, support Apple Watch wireless charging. It's our company's private model, with appearance patent, built-in high capacity battery. It uses intelligent MCU control to achieve fast charging of mobile phones by adjusting different output voltages and currents. Support wireless charging at the same time

2. Product information

Input	Lightning: 5V/2A, 9V/2A Type-C: 5V/3A, 9V/2A
Output	Wireless charge: 15W/10W/7.5W/5W Wireless For Watch: 5V/300mA USB-A: 5V/3A, 9V/2.22A, 12V/1.5A Type-C: 5V/3A, 9V/2.22A, 12V/1.5A
Material	ABS+PC
Battery	Polymer lithium battery
Capacity	10000mAh
Net weight	226g
Size	145*70.5*17.4mm
Use temperature	0-45°C
Transport & Storage temperatures	-20~50°C



3. Product Sketches




4. Methods of use

1). Wireless charging Part

After pressing the power to open the key, the wireless charging function starts, the red LED flashes, the mobile phone with wireless function is placed on the wireless charging area, the Blue LED light up, and the cell phone displays the charging identifier. The product wireless charging function can only be used when connected to external power supply







After long pressing the power to open the key, the Low- Voltage wireless charging function for Apple Watch starts, the red LED light up, the Apple Watch is placed on the wireless charging area, the red LED light up always, and the Apple Watch displays the charging identifier.

2). Wired charging

Connect one end of the USB line (USB-Micro/USB-Type C/Type C-Type C cable with the fast charge function) with the output interface of this product, the other end connected to the mobile phone or other equipment, press the power key, that is to start charging. The Green LED light up, the fast charging function start.





DC input for this product

The data line Lightning / Type-C end up the input interface, the other end is connected with the QC 3.0 or PD type adapter to charge the product, the Green LED light up, the fast charge function start.



C / / ² I-nylyy {úí-úšYšYú
 /KI-YŠŠā 2W Y2ŘIŦIŦI-úá2yā y2ú ŠĚLJNŠāāfē I-LJLJN2ŦŠŘ ōē úKŠ LJ-I-NUē NŠāLJ2yāIŦIŠ Ŧ2N Ő2Y-LJŦI-YŦŠ Ő2dzŦŘ
 Ő2IŘ úKŠ dzāŠNŦā I-dzúK2NŦūē
 ú2 2LJŠNŦI-úŠ úKŠ ŠIjdzLJYšYú ĄKlā ŠIjdzLJYšYú KI-ā ōŠŠY ũŠāúŠŘ I-yŘ Ŧ2dzyŘ ú2 Ő2Y-LJŦē ōIúK úKŠ ŦIYŦā
 Ŧ2N I- /ŦI-āā . ŘIāIúI-Ŧ ŘŠŦŦŦŠ
 LJdzNŦādzI-yú ú2 tI-NUú mp 2Ŧ úKŠ C / / wdzŦŠā ĄKŠāŠ ŦIYŦā I-NUŠ ŘŠāIYŠŘ ú2 LJN2ŦŦIŘŠ NŠI-āzyI-ŦIŠ LJN2úŠŦŦIāzy
 I-ŦI-Ŧyāú KI-NUYŦdzŦ
 ŦyúŠNŦŠNŠYŦŠ ŦY I- NŠāIŘŠYŦI-Ŧ ŦyāúI-ŦŦI-úā2y ĄKlā ŠIjdzLJYšYú ŠŠYŠNŦI-úŠā dzāŠā I-yŘ ŐI-y NŦI-ŘI-úŠ NŦI-ŘI2
 ŦNŠIjdzŠYŦē ŠYŠNŦē I-yŘē ŦŦ y2ú
 ŦyāúI-ŦŦŠŘ I-yŘ dzāŠŘ ŦY I-ŐŐ2NŦI-yŦŠ ōIúK úKŠ ŦyāúNdzŦŦIā2yāŦ YI-ē ŐI-dzāŠ KI-NUYŦdzŦ ŦyúŠNŦŠNŠYŦŠ ú2 NŦI-ŘI2
 Ő2Y-YdzŦŦŦI-úā2yā
 I 2ŦŠŦŠNŠ ũKŠNŠ Ŧā y2 3dzI-NŦI-yúŠŠ ũKI-ú ŦyúŠNŦŠNŠYŦŠ ōŦŦ y2ú 2ŐŐdzNŦ ŦY I- LJ-I-NUŦŦŦŦI-NU ŦyāúI-ŦŦI-úā2y ŦŦ ũKIā
 ŠIjdzLJYšYú Ř2Šā ŐI-dzāŠ
 KI-NUYŦdzŦ ŦyúŠNŦŠNŠYŦŠ ú2 NŦI-ŘI2 2N ũŠŦŠŦŦIā2y NŠŐŠLJŦā2y ōKIŦŦ ŐI-y ōŠ ŘŠŦŠNŦYŦYŠŘ ōē ũdzNŦYŦY ũKŠ
 ŠIjdzLJYšYú 2ŦŦ I-yŘ 2yŦ ũKŠ
 dzāŠNŦ Ŧā ŠYŐ2dzNŦI-ŠŠ ũ2 ũNē ũ2 Ő2NŦNŠŐú ũKŠ ŦyúŠNŦŠNŠYŦŠ ōē 2yŠ 2N Y2NŠ 2Ŧ ũKŠ Ŧ2ŦŦ2ŦŦY YŠI-ādzNŠāŦ
 - - wŠ2NŦIŠYú 2NŦ NŠŦŦŦŦI-úŠ ũKŠ NŠŐŠŦŦŦY I-yŦŠYŦI-
 - - ŦyŦŦŠI-āŠ ũKŠ āŠLJ-I-NUI-úā2y ōŠŦŦŦY ũKŠ ŠIjdzLJYšYú I-yŘ NŠŐŠŦŦŠNŦ
 - - /2yŦŠŐú ũKŠ ŠIjdzLJYšYú Ŧyú2 I-y 2dzŦŦŠú 2y I- ŐNŦŦdzŦŦ ŘIŦŦŠNŠYú ŦN2Y ũKI-ú ũ2 ōKIŦŦ ũKŠ NŠŐŠŦŦŠNŦ
 Ŧā Ő2yŦŠŐúŠŘ
 - - /2yādzŦú ũKŠ ŘŠI-ŦŠN 2N I-y ŠĚLJŠNŠYŦŠŘ NŦI-ŘI2K± ũŠŐKYŦŦŦI-yŦ2N KŠŦLJ

ĄKlā ŘŠŦŦŠ Ő2Y-LJŦIŠā ōIúK LJ-I-NUú mp 2Ŧ ũKŠ C / / wdzŦŠā hLJŠNŦI-úā2y Ŧā ādzŦŦŠŐú ũ2 ũKŠ Ŧ2ŦŦ2ŦŦY two conditions:
 (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

