

CHAPTER 6

INTERNAL OPTIONS

This chapter covers internal options that can be added to the TW7000. They are generally factory installed. If added in the field, installation requires a #2 Phillips-head screwdriver and a board puller included in the following maintenance kits.

- 7000EXT extender kit
- TW7000TK tool kit

Internal Option	Part Number	See Page
Additional Channel	7000ACH	6-2
ALE	7000ALE	6-3
Clock	7000CLK	6-19
Data Interface RS422/423/485	7000RS	6-20
Encryption	7000ENCR	6-21
FSK Remote Control	7000RF	6-21
High Stability	7000HS	6-34
ISDN Remote Control	7000RI	6-42
Narrowband CW Filter	7000CW	6-55
Noise Blanker	7000NB	6-56
Recorder	7000RCDR	6-62
Selcall, Transcall and TransAdapt	7000TC	6-63
Voice Enhancement Module	7000VEM	6-64
Wideband Data Filter	7000WB1	6-64

For information on changing the on or off status of these options, refer to the TW7000-MSOP operator manual.

CHAPTER 6 INTERNAL OPTIONS

This chapter covers internal options that can be added to the TW-1000. They are generally factory-installed. If added in the field, installation requires a 25-pin male and receiver and a board holder included in the following maintenance kit:

1000B XT receiver kit

The front panel kit

6-1	Internal
6-2	Internal
6-10	Internal
6-20	Internal
6-21	Internal
6-22	Internal
6-23	Internal
6-24	Internal
6-25	Internal
6-26	Internal
6-27	Internal
6-28	Internal
6-29	Internal
6-30	Internal
6-31	Internal
6-32	Internal
6-33	Internal
6-34	Internal
6-35	Internal
6-36	Internal
6-37	Internal
6-38	Internal
6-39	Internal
6-40	Internal
6-41	Internal
6-42	Internal
6-43	Internal
6-44	Internal
6-45	Internal
6-46	Internal
6-47	Internal
6-48	Internal
6-49	Internal
6-50	Internal
6-51	Internal
6-52	Internal
6-53	Internal
6-54	Internal
6-55	Internal
6-56	Internal
6-57	Internal
6-58	Internal
6-59	Internal
6-60	Internal
6-61	Internal
6-62	Internal
6-63	Internal
6-64	Internal
6-65	Internal
6-66	Internal
6-67	Internal
6-68	Internal
6-69	Internal
6-70	Internal
6-71	Internal
6-72	Internal
6-73	Internal
6-74	Internal
6-75	Internal
6-76	Internal
6-77	Internal
6-78	Internal
6-79	Internal
6-80	Internal
6-81	Internal
6-82	Internal
6-83	Internal
6-84	Internal
6-85	Internal
6-86	Internal
6-87	Internal
6-88	Internal
6-89	Internal
6-90	Internal
6-91	Internal
6-92	Internal
6-93	Internal
6-94	Internal
6-95	Internal
6-96	Internal
6-97	Internal
6-98	Internal
6-99	Internal
6-100	Internal

This Page Intentionally Left Blank

The following table shows the on-board status of these options. Refer to the TW-1000 manual for more information.



6.13 Voice Enhancement Option (7000VEM)

This option provides superior voice recognition and signal-quality improvement in noisy environments.

To install this option:

1. Turn the TW7000 off and remove the top cover.
2. Remove the board hold-down bars.
3. Install the VEM board into the OPT1 slot.
4. Replace the cover.



