

## 1. Features

This controller adopt the widely used 433MHz wireless technology with the features of low power consumption, long signal transmitting and strong anti-interference, etc. Widely used on the controlling of hotel lighting and home lighting.







Dim brightness




Remote control  
Control distance 30m



433MHz RF wireless  
transmission technology




## 2. Products Key Diagram



### 3. Connect diagram

#### Pilot lamp instruction:

Always lighting means working normally; Flash means receiving remote signal.




#### Note

Factory setting is one remote control one receiver. Users can group it as per the need. One remote can control countless receivers, but one receiver just can be controlled by max 4 remotes.


### 4. Linking Code / Unlinking Code Instructions

#### Linking the controller




If the light not blink slowly, the linking failed, Please switch off the light again, and follow the above steps again.

## Unlinking the controller




1

Switch off light, after 10 seconds then switch on again.



2

Short press "➔" button 5 times within 3 seconds when light on.



3

Lights blink 6 times quickly means unlinking is done successfully.



If the light not blink quickly, the unlink failed, Please switch off the light again, and follow the above steps to unlink again.

## 5. Attention

1. Please check whether the voltage of the power supply is in accordance with the light, and please check the connection of both the cathode and anode, otherwise the light will be broken.
2. Please don't connect wires with power on. Please turn on again only when it is in right connection and no short circuit.
3. Non-professional user cannot dismantle the lighting fixtures directly.
4. Please do not use the light in the place with widely range metal area or strong electromagnetic wave nearby, otherwise, the remote distance will be seriously affected.

Made in China



Light can not use in humid area