



PW11 Series

Type-C Docking Station

User Manual



Thanks for choosing ORICO!

Please read this user' s manual carefully before using the product, or you can download it from www.orico.cn Download a more detailed electronic manual and keep it as a backup.

What is in the box

The Product	*1
User Manual	*1

The product, accessories and package may optimized for better applicationor performance. We sincerely sorry that they may not exactly match with what showing in manual and appreciate your please adhere to the original products and contact ORICO customer care team if any further concern. Thank you very much.

Product Introduction

This Type-C hub - PW11 is made of aluminum alloy + ABS material, expanding connectivity for your laptop, phone, and tablet PC. It satisfies your data transmission or audio output needs. The endowed USB-A ports can connect the keyboard, mouse, USB flash drive, PSSD, etc. The USB 3.0 ports support 5Gbps speed while the USB 2.0



only reaches 480Mbps.

1. The USB-C interface supports current electronic devices that have USB-C data cables and supports 5Gbps transfer bandwidth.
2. HDMI port only supports 4K@60Hz (varies from different models) video output, and mirroring screens with downward compatibility.
3. VGA port only supports 1920*1080P@60Hz video output and mirroring screens.
4. RJ45 reaches 2.5G bandwidth transmission speed (varies from different models) with downward compatibility.
5. SD and TF slots reach 480Mbps transmission speed and cards are read in order.
6. 3.5mm audio port can connect headphones and speakers.
7. PD 3.0 protocol supports PD 100W power output maximumly. (Power varies from different models.)
8. Support Windows, Mac OS, Linux, iPad and Android systems. (Non-compatibility may happens due to different system versions.)

Specifications



Name	Type-C 5 in 1 Docking Station
Model	PW11-5P
Input	Type-C
Output	USB-A×1 （5Gbps） USB-A×2 （480Mbps） HDMI×1 （4K@30Hz） PD 60W×1
Transmission Rate	5Gbps
Dimensions	95 (L) × 44.5 (W) × 17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold

Name	Type-C 6 in 1 Docking Station
Model	PW11-6P
Input	Type-C
Output	USB-A×3 （5Gbps） USB-C×1 （5Gbps） HDMI×1 （4K@30Hz） PD 100W×1
Transmission Rate	5Gbps
Dimensions	95 (L) × 44.5 (W) × 17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold



Name	Type-C 6 in 1 Docking Station
Model	PW11-6PR
Input	Type-C
Output	USB-A×3 (5Gbps) HDMI×1 (4K@30Hz) PD 100W×1 1 GigE×1
Transmission Rate	5Gbps
Dimensions	95 (L) × 44.5 (W) × 17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold

Name	Type-C 6 in 1 Docking Station
Model	PW11-6P25R
Input	Type-C
Output	USB-A×3 (5Gbps) HDMI×1 (4K@30Hz) PD 100W×1 2.5 GigE×1
Transmission Rate	5Gbps
Dimensions	95 (L) × 44.5 (W) × 17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold



Name	Type-C 6 in 1 Docking Station
Model	PW11-6PCR
Input	Type-C
Output	USB-A×2 (5Gbps), USB-C×1 (5Gbps) HDMI×1 (4K@60Hz) PD 100W×1 1 GigE×1
Transmission Rate	5Gbps
Dimensions	95 (L) × 44.5 (W) × 17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold

Name	Type-C 6 in 1 Docking Station
Model	PW11-6PC25R
Input	Type-C
Output	USB-A×2 (5Gbps), USB-C×1 (5Gbps) HDMI×1 (4K@60Hz) PD 100W×1 2.5 GigE×1
Transmission Rate	5Gbps
Dimensions	95 (L) × 44.5 (W) × 17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold



Name	Type-C 8 in 1 Docking Station
Model	PW11-8P
Input	Type-C
Output	USB-A×3 (5Gbps), SD & Micro SD×1, HDMI×1 (4K@60Hz) , PD 100W×1 1 GigE×1
Transmission Rate	5Gbps
Dimensions	115 (L) ×44.5 (W) ×17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold

Name	Type-C 8 in 1 Docking Station
Model	PW11-8PC
Input	Type-C
Output	USB-A×2 (5Gbps), USB-A×1 (480Mbps) USB-C×1 (5Gbps), HDMI×1 (4K@60Hz) PD 100W×1, 1 GigE×1, VGA×1 (1080P@60Hz)
Transmission Rate	5Gbps
Dimensions	115 (L) ×44.5 (W) ×17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold



Name	Type-C 8 in 1 Docking Station
Model	PW11-8PM
Input	Type-C
Output	USB-A×2 (5Gbps), SD & Micro SD×1, HDMI×1 (4K@60Hz) , PD 100W×1 1 GigE×1 3.5mm Audio Port×1
Transmission Rate	5Gbps
Dimensions	115 (L) ×44.5 (W) ×17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold

Name	Type-C 9 in 1 Docking Station
Model	PW11-9P
Input	Type-C
Output	USB-A×3 (5Gbps), SD & Micro SD×1, HDMI×1 (4K@30Hz) , VGA×1 (1080P@60Hz) , 1 GigE×1, PD 100W×1
Transmission Rate	5Gbps
Dimensions	135 (L) ×44.5 (W) ×17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold




Name	Type-C 9 in 1 Docking Station
Model	PW11-9P25R
Input	Type-C
Output	USB-C×1 (5Gbps) , USB-A×2 (5Gbps), SD & Micro SD×1, HDMI×1 (4K@60Hz) 3.5mm Audio Port×1, 2.5G GigE×1, PD 100W×1
Transmission Rate	5Gbps
Dimensions	135 (L) × 44.5 (W) × 17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold

Name	Type-C 10 in 1 Docking Station
Model	PW11-10P
Input	Type-C
Output	USB-A×3 (5Gbps), SD & Micro SD×1, HDMI×1 (4K@30Hz) , VGA×1 (1080P@ 60Hz), 3.5mm Audio Port×1, 1 GigE×1, PD 100W×1
Transmission Rate	5Gbps
Dimensions	135 (L) × 44.5 (W) × 17 (H) mm
Material	Aluminum Alloy + ABS
Data Cable Length	Siamese data cable 0.2M
Supported System	Windows/Linux/Mac OS/iPad/Android
Colour	Dark Grey/Silver/Rose Gold




Illustration


PW11-5P




PW11-6P




PW11-6PR




PW11-6P25R




PW11-6PCR




PW11-6PC25R




PW11-8P




PW11-8PC




PW11-8PM




PW11-9P



PW11-9P25R



PW11-10P



Notices

1. This hub support PD 100W power output maximumly(PW11-5P only support PD 60W maximumly). There will be power loss during the charging.
2. Please remember to eject the USB flash drive, PSSD, and HDD on the computer before unplugging them.
3. Please remember to unplug the connected devices after use because it may lead to malfunction when reconnected to power. If not, please unplug all devices and plug them in again.
4. Please avoid connecting multiple high-power devices simultaneously, otherwise, it may lead to malfunction.
5. If the WIFI or Bluetooth disconnection happens regularly, please connect the Bluetooth adapter to the USB 2.0 port or connect the devices to farther USB 3.0 ports considering their similar working frequencies.
6. HDMI and VGA ports only support mirroring or expanding screens.

