

Dual Fuel Range, 48", 8 Burners, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural gas




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- 6.9 cu ft total oven capacity across two oven cavities
- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

Height	35 3/4 - 36 3/4"
Width	47 7/8"
Depth	29 1/8"



FEATURES & BENEFITS

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous capacity

Two independently operating cavities provide a large total

capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories

Adjustable feet covers	•
Branded coin end cap	•
Square handle option	AH-R48

Burner ratings

Maximum burner power	23500 BTU
----------------------	-----------



Power back centre	18500BTU				
Power back centre (2)	18500BTU				
Power back left	18500BTU				
Power back right	18500BTU				
Power front centre	18500BTU				
Power front centre (2)	18500BTU				
Power front left	23500BTU				
Power front right	23500BTU				
Total cooktop power	158000 BTU				
Capacity					
Shelf positions	5				
Shelf positions	5				
Cleaning					
Easy clean porcelain basepan					
Pyrolytic self-clean					
Controls					
Dial with illuminated halo					
Dual control oven dials					
Electric circuit	4 wire				
High resolution display					
Metal illuminated dials					
Multi-language interface					
Precise cooking with food					
Recipe and food based					
Sabbath mode					
Tilting touch screen interface					
Wi-Fi connectivity					
Gas Requirements					
Fitting and pipe	½ NPT, min. ⅝" flex line				
Supply Pressure (natural gas)	6" to 9" W.C				
Oven features					
Concealed element					
Electronic oven control					
Full extension telescopic					
Internal light					
Self-clean proof side racks					
Titanium coated, illuminated					
Oven functions					
Air fry					
Bake					
Classic bake					
Clean					
Convection Broil					
Convection bake					
Dehydrate					
Maxi Broil					
Number of functions	15				
Pastry bake					
Pizza bake					
Rapid proof					
Roast					
Slow cook					
True convection					
Warm					
Oven performance					
Bake power	4600				
Broil	3600W				
Main oven - True convection	2500W				
Power requirements					
Amperage	50A				
Rated current	50A				
Supply frequency	60Hz				
Product dimensions					
Depth	29 1/8"				
Height	35 3/4 - 36 3/4"				
Width	47 7/8"				
Rangetop features					
Sealed Dual Flow Burners™	8				
Sealed range top					
Vent trim included					
Recommended Back Guards Ventilation					
Combustible situation	BGRV3-3048H				
Non combustible situation	BGRV2-3048 / BGRV2-1248				
Recommended hood	HCB48-12_N (48"				
Safety					
ADA compliant					
Secondary oven features					



3/4 Extension racks	2
Concealed element	•
Electronic oven control	•
Food probe	•
Internal light	•

Secondary oven functions

Air fry	•
Bake	•
Classic bake	•
Convection bake	•
Convection broil	•
Maxi broil	•
Number of secondary oven	11
Pastry bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Warm	•

SKU 81896

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [↓](#) Guide D'Utilisation
- [↓](#) User Guide
- [↓](#) Guide D'Utilisation
- [↓](#) Energy Label
- [↓](#) Guide d'utilisation
- [↓](#) User Guide
- [↓](#) Service & Warranty
- [↓](#) Installation Guide
- [↓](#) Guide D'Installation
- [↓](#) Specification Guide
- [↓](#) Data Sheet Dual Fuel Cooker
- [↓](#) Data Sheet Dual Fuel Cooker
- [↓](#) Data Sheet Dual Fuel Cooker
- [↓](#) Data Sheet Dual Fuel Range
- [↓](#) Planning Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 W www.fisherpaykel.com

