



millsltd.com


Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge
UB8 2GU
Contact us on:
Tel: 020 8833 2626
Fax: 020 8833 2600
Email: sales@millsltd.com
Company No. 00282704
VAT No. 227082574

UltraCrete Mortar Buoy - Access Frame Installation Aid - CW1 600 x 600mm

[Product Images](#)

Product Code: S00-4042





Short Description

The inflatable device that acts as a dam allowing a flowable mortar installation within seconds.

The Mortar Buoy® inflatable dam prevents any mortar seeping into the access chamber providing a seamless finish to the chamber. This allows a single pour installation of Envirobed® CD534 Flowable/ Envirobed® CD534 Flowable Red,

2

<https://www.millsltd.com/default/ultracrete-mortar-buoy-access-frame-installation-aid-cw1-600-x-600mm.html>

19/11/2022



which encapsulates the flange of the access frame creating a solid bed and backfill in one.

Features

Simply fit and inflate
Creates an instant dam within the access chamber
Saves time – no waiting around for the dam to dry
Prevents the mortar seeping into the access chamber and debris falling down it
Provides a seamless finish to chamber
Environmentally friendly – can be re-used
Range of sizes available
UltraCrete Accredited Reinstatement Specification (UCARS) product

Please see datasheet for further details

Description

The inflatable device that acts as a dam allowing a flowable mortar installation within seconds.

The Mortar Buoy® inflatable dam prevents any mortar seeping into the access chamber providing a seamless finish to the chamber. This allows a single pour installation of Envirobed® CD534 Flowable/ Envirobed® CD534 Flowable Red, which encapsulates the flange of the access frame creating a solid bed and backfill in one.

Features

Simply fit and inflate
Creates an instant dam within the access chamber
Saves time – no waiting around for the dam to dry
Prevents the mortar seeping into the access chamber and debris falling down it
Provides a seamless finish to chamber
Environmentally friendly – can be re-used
Range of sizes available
UltraCrete Accredited Reinstatement Specification (UCARS) product

Please see datasheet for further details

