



Cable management that's secure and installs 50% faster

J-Hooks provide an easy-to-install, non-continuous cable support for all types of telecommunication, data and power cabling. They also are perfect for low voltage building cable management and fire protection cabling.

Our CJH Series is engineered to provide stress-free cable support for multiple cables and features a structural design for optimal strength and tapered edges to reduce cable sheath damage. Multiple pre-drilled holes reduce on-site modification at installation. J-Hooks can be attached to a variety of structures and are available with multiple attachment options that allow quick and easy cable installation virtually anywhere.

The CJHP Series J-Hooks are plenum rated, plastic coated and feature a built in latch that allows you to lock the bendable flap into place – and unlock easier. CJHP hooks also combine the best features of both metal and plastic, providing strength and a slick, no-burr surface to make pulling cable easy. All CJHP hooks are plenum safe.

Features & Benefits

CJH Series – Steel J-Hooks

- **Broad product line.** CJH Series J-Hooks are available in 4 sizes ¾" to 4" sizes with a cable retainer clip (Patent Pending) and has multiple attachment options.
- **Sturdy steel construction.** CJH Series J-Hooks have a wider base and provides optimal support for electrical and high-performance data cables, including CAT 5e, CAT 5, CAT 6A, CAT 7 and fiber optic.
- **Smooth tapered edges.** Smooth edges of CJH Series J-Hooks reduces pressure points for ultimate cable protections.
- **Simple single person installation.** Labor savings.
- **Highest cable fill capacity.** CJH Series J-Hooks have the highest fill capacity on the market and are engineered to accommodate future emerging data cables.
- **Manufactured using over 70% recycled steel.** CJH Series J-Hooks are manufactured using over 70% recycled steel. Great for recycling and the environment.
- **UL load and anti-corrosion tested.** cULus listed.
- **RoHS compliant.** Environmentally friendly.
- **Meets TIA-568-C & TIA 569-C and complies with EN 50174-2.** Ensures that software and applications running on the network are able to perform as designed and work seamlessly together.

CJHP Series – Plastic J-Hooks

- **Cable containment latch.** CJHP Services J-Hooks integral catch quickly opens and closes for easy moves, adds or changes. Available in 4 sizes 1" to 4" sizes and has multiple attachment options.
- **Smooth easy-slide polypropylene construction.** CJHP Series J-Hooks allow cables to slide with 50% less pulling tension.
- **Safe for use in plenum spaces.** CJHP Series J-Hooks are UL listed safe for use in plenum spaces.
- **Simple single person installation.** Labor savings.
- **UL load and anti-corrosion tested.** cULus listed.
- **RoHS compliant.** Environmentally friendly.
- **Meets TIA-568-C & TIA 569-C and complies with EN 50174-2.** Ensures that software and applications running on the network are able to perform as designed and work seamlessly together.

Vertical Markets

- Commercial
- Hospitality
- Education
- Entertainment

Compliance


cULus Listed UL31TS
RoHS Compliant

Country of Origin

Cablofil® CJH Series and CJHP Series J-Hooks are made in the USA and assembled in Mexico.



CJH Series Steel J-Hooks Specifications



CJH Series J-Hooks Load/Fill Capacity Table					
	HOOK SIZE	LOAD CAPACITY	CABLE CAPACITY		
	IN	LBS	4-PAIR UTP CAT 5E	CAT 6	CAT 6A
CJ12H	3/4"	65	34	23	13
CJ21H	1-5/16"	65	61	42	24
CJ32H	2"	65	119	81	48
CJ64H	4"	65	417	284	167

CJH Series J-Hooks Attachment Options				
W	AC	AC6	HOK24	HOK58
				
Bat Wing 12 Gage – 1/4" & 3/8" ATR	90° Angled Clip – 1/4" hole	90° Angled Clip – 3/8" hole	Knock-On Steel Beam Clamp – 1/8" to 1/4"	Knock-On Steel Beam Clamp – 5/16" to 1/2"
PBC	ACPBC	SSBC	ACSSB	ACHOK24
				
Pressed Beam Clamp – up to 1/2"	Angled Clip & Pressed Beam Clamp – up to 1/2"	Assembled to SSBC – 1/8" to 1/2"	Angled Clip & SSBC – swivels 360°	Knock-on Clamp & Angled Clip – swivels 360°

PART NUMBERING EXAMPLE	
CJ12HHOK24	
J-HOOK	ATTACHMENT
Choose between	Choose option
CJ12H, CJ21H, CJ32H & CJ64H	

CJH Series Steel J-Hooks Ordering Information

CJ12H – 3/4" J-HOOK					
	PKG QTY	HOOK SIZE (In.)	DESCRIPTION	WEIGHT (Lbs.)	PG
CJ12H	50	3/4"	J-Hook Wide Base w/Retainer	4.5	F000247
CJ12HAC	50	3/4"	J-Hook Wide/Ret - 90° Angle Clip 1/4 Rod	5.8	F000248
CJ12HW*	50	3/4"	J-Hook Wide/Ret - Batwing Clip	5.75	F000249
CJ12HAC6	50	3/4"	J-Hook Wide/Ret 90° Angle Clip 3/8 Rod	5.7	F000250
CJ12HSSBC	50	3/4"	J-Hook Wide/Ret - Screw on Spring Steel Beam Clip 1/2	7.3	F000259
CJ12HACHOK24	50	3/4"	J-Hook Wide/Ret - 90° Swivel Knock on Beam Clip 1/8-1/4	8.35	F000252
CJ12HACHOK58	50	3/4"	J-Hook Wide/Ret - 90° Swivel Knock on Beam Clip 5/16-1/2	8.35	F000253
CJ12HACPBC	50	3/4"	J-Hook Wide/Ret - 90° Swivel Screw on Beam Clip 1/2	11.5	F000254
CJ12HACSSBC	50	3/4"	J-Hook Wide/Ret - 90° Swivel Screw on Beam Clip 1/2	8.6	F000255
CJ12HHOK24	50	3/4"	J-Hook Wide/Ret - Knock on Beam Clamp 1/8-1/4	5.8	F000256
CJ12HHOK58	50	3/4"	J-Hook Wide/Ret - Knock on Beam Clamp 5/16-1/2	5.8	F000257
CJ12HPBC	50	3/4"	J-Hook Wide/Ret - Screw on Beam Clamp 1/2	10.2	F000258

CJ21H – 1 5/16" J-HOOK					
	PKG QTY	HOOK SIZE (In.)	DESCRIPTION	WEIGHT (Lbs.)	PG
CJ21H	50	1-5/16"	J-Hook Wide Base w/Retainer	8.5	F000260
CJ21HAC	50	1-5/16"	J-Hook Wide/Ret - 90° Angle Clip 1/4 Rod	9.8	F000261
CJ21HW*	50	1-5/16"	J-Hook Wide/Ret - Batwing Clip	9.75	F000262
CJ21HAC6	50	1-5/16"	J-Hook Wide/Ret - 90° Angle Clip 3/8 Rod	9.7	F000263
CJ21HSSBC	50	1-5/16"	J-Hook Wide/Ret - Screw on Spring Steel Beam Clip 1/2	11.3	F000272
CJ21HACHOK24	50	1-5/16"	J-Hook Wide/Ret - 90° Swivel Knock on Beam Clip 1/8-1/4	12.35	F000265
CJ21HACHOK58	50	1-5/16"	J-Hook Wide/Ret - 90° Swivel Knock on Beam Clip 5/16-1/2	12.35	F000266
CJ21HACPBC	50	1-5/16"	J-Hook Wide/Ret - 90° Swivel Screw on Beam Clip 1/2	15.5	F000267
CJ21HACSSBC	50	1-5/16"	J-Hook Wide/Ret - 90° Swivel Screw on Spring Steel Beam Clip 1/2	12.6	F000268
CJ21HHOK24	50	1-5/16"	J-Hook Wide/Ret - Knock on Beam Clip 1/8-1/4	9.8	F000269
CJ21HHOK58	50	1-5/16"	J-Hook Wide/Ret - Knock on Beam Clip 5/16-1/2	9.8	F000270
CJ21HPBC	50	1-5/16"	J-Hook Wide/Ret - Screw on Beam Clip 1/2	14.2	F000271

CJ32H – 2" J-HOOK					
	PKG QTY	HOOK SIZE (In.)	DESCRIPTION	WEIGHT (Lbs.)	PG
CJ32H	50	2"	J-Hook Wide Base w/Retainer	10.3	F000273
CJ32HAC	50	2"	J-Hook Wide/Ret - 90° Angle Clip 1/4 Rod	11.6	F000274
CJ32AHW*	50	2"	J-Hook Wide/Ret - Batwing Clip	11.55	F000275
CJ32HAC6	50	2"	J-Hook Wide/Ret - 90° Angle Clip 3/8 rod	11.5	F000276
CJ32HSSBC	50	2"	J-Hook Wide/Ret - Screw on Spring Steel Beam Clip 1/2	13.1	F000285
CJ32HACHOK24	50	2"	J-Hook Wide/Ret - 90° Swivel Knock on Beam Clip 1/8-1/4	14.15	F000278
CJ32HACHOK58	50	2"	J-Hook Wide/Ret - 90° Swivel Knock on Beam Clip 5/16-1/2	14.15	F000279
CJ32HACPBC	50	2"	J-Hook Wide/Ret - 90° Swivel Screw on Press Beam Clip 1/2	17.3	F000280
CJ32HACSSBC	50	2"	J-Hook Wide/Ret - 90° Swivel Screw on Spring Steel Beam Clip 1/2	14.4	F000281
CJ32HHOK24	50	2"	J-Hook Wide/Ret - Knock on Beam Clip 1/8-1/4	11.6	F000282
CJ32HHOK58	50	2"	J-Hook Wide/Ret - Knock on Beam Clip 5/16-1/2	11.6	F000283
CJ32PBC	50	2"	J-Hook Wide/Ret - Screw on Beam Clip 1/2	13.8	F000284

* Works with both 1/4 x 20 and 3/8 x 16 rod