




SMART⁺ WIFI CUBE



	EAN	W	lm	K	ⓘ (°C)	V~	mA	Hz	DF
SMART OUTD WIFI CUBEUPDOWN RGBW DG	4058075478077	14	950	3000	-20...+40	220-240	96	50/60	≥0.7
SMART OUTD WIFI CUBE WALL RGBW DG	4058075478114	10	500	3000	-20...+40	220-240	70	50/60	≥0.7
SMART OUTD WIFI CUBE 50CM RGBW DG	4058075478152	10	500	3000	-20...+40	220-240	70	50/60	≥0.7
SMART OUTD WIFI CUBE 80CM RGBW DG	4058075478176	10	500	3000	-20...+40	220-240	70	50/60	≥0.7


1x



630 g
 4058075478077


900 g
 4058075478152





540 g
 4058075478114


1200 g
 4058075478176


 2x 
 2x 


 4x 
 4x 

mm

L


W

W

	L	W	H
WIFI CUBEUPDOWN	110	80	205
WIFI CUBE WALL	110	80	116
WIFI CUBE 50CM	120	120	500
WIFI CUBE 80CM	120	120	800

1






ON

OFF


2

(b)







(a)









3




4



	EAN	This product contains a light source of energy efficiency class	Contained Light Source
SMART OUTD WIFI CUBEUPDOWN RGBW DG	4058075478077	F	
SMART OUTD WIFI CUBE WALL RGBW DG	4058075478114	F	
SMART OUTD WIFI CUBE 50CM RGBW DG	4058075478152	F	
SMART OUTD WIFI CUBE 80CM RGBW DG	4058075478176	F	



C10449057

G11124430

07.07.2021



LEDVANCE GmbH

Steinerne Furt 62

86167 Augsburg, Germany

www.ledvance.com

