

Integrated Column Refrigerator, 61cm, Water

Series 11 | Integrated
Panel Ready | Left hinge



- Install it separately or pair with another Column for seamless kitchen integration - this model is left hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
 - Internal water dispenser for convenient access to fresh, chilled water

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	2134mm
Width	603mm
Depth	610mm

FEATURES & BENEFITS

Variable temperature zones
When it comes to optimal food preservation, one temperature does not fit all. Create the perfect climate for different food and drink types using Variable Temperature Zones. Change a compartment to Fridge, Pantry or Chill Mode for maximum everyday convenience, or change modes for additional capacity when you need it.

Pantry Mode
Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Internal water dispenser
This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximises internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

Mix & match
Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customised with your kitchen

cabinetry for a seamless look, or finished with one of our stainless steel door panels.

Clever energy
ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

Appealing illumination
Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

Design quality
The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

SPECIFICATIONS

Accessories	
1067mm Stainless steel toe	AKRS10710
1220mm Stainless steel toe	AKRS12210
1372mm Stainless steel toe kick	AKRS13710
1524mm Stainless steel toe	AKRS15210
1828mm Stainless steel toe kick	AKRS18310
1981mm Stainless steel toe kick	AKRS19810
610mm Stainless steel toe kick	AKRS06110
762mm Stainless steel toe kick	AKRS7610
Contemporary round handle	AHS-RD21
Contemporary square handle	AHD3-RD21
Hinge change (from left hinge	848188
Hinge change (from right hinge	848187
Joiner kit	AJ-RS21LR



Professional round flush handle	AHP3RDSF
Square fine aluminium handle	AHD5RDSF
Square fine black handle kit	AHD5RDSFB
Stainless steel door panel	RD6121R10D (right hinge)

Capacity

Volume	351L
Volume refrigerator	351L

Consumption

Energy rating	3.5 star
Energy usage	213kWh/year

Features

Adjustable door shelves	4
Adjustable glass cantilevered	•
Adjustable glass shelves	3
Covered door shelves	1
Door alarm	•
Gallon door shelves	1
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch control panel	•
Soft-close fruit and vegetable	•
Stackable bottle holders	4
Wi-Fi connectivity	•

Performance

ActiveSmart™ Foodcare	•
-----------------------	---

Adaptive defrost	•
Dual evaporator	•
Frost free	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Variable food modes lower	Pantry; Fridge; Chill
Variable food modes upper	Pantry, Fridge
Variable temperature zones	2

Power requirements

Rated current	10A
Supply frequency	50Hz
Supply voltage	230V

Product dimensions

Depth	610mm
Height	2134mm
Width	603mm

Warranty

Parts and labour	5 years
Sealed system parts only	5 years

SKU	26100
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher &

Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020



Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty



Installation Guide - Toe Kick



Installation Guide - Integrated Column



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 W www.fisherpaykel.com

