



Oben®

TTVLK-8

Tripod Vlogging Kit with 8 in. Ring Light



You're on steady ground®



Thank you for choosing Oben.


The Oben TTVLK Tripod Vlogging Kit features a desktop tripod, accessory arm, USB-powered LED ring light, and a smartphone clamp. It puts the tools you need to set up a vlog or video meeting anywhere.

Warnings



Warnings:

- *Please read and follow these instructions, and keep this manual in a safe place.*
- *Keep this unit away from water and any flammable gases or liquids.*
- *Do not stare directly at the lights when they are powered on.*
- *Clean the unit with a soft, dry cloth.*
- *Keep this unit away from children.*
- *Make sure the item is intact and that there are no missing parts.*
- *All images are for illustrative purposes only.*




Ring Light

Ⓐ LED array

Ⓒ 1/4-20 mounting socket

Ⓑ USB cable

Connect to a computer
or USB plug adapter.



Ballhead

Ⓓ **1/4-20 screw**

Attach to smartphone adapter.

Ⓖ **1/4-20 accessory socket**

Attach the accessory arm.

Ⓔ **Locking knob**


Loosen to adjust the angle. Tighten to secure.

Ⓕ **1/4-20 socket**

Screw onto the tabletop tripod.

Ⓖ **90° notch**

Switch from horizontal to vertical camera orientation.



Accessory Arm


I 1/4-20 screw

J Thumbscrews

K 1/4-20 locking nut

Attach to the tripod accessory socket.

Important! For secure support of the ring light, make sure the accessory arm is positioned directly over one of the legs.



Tripod



1/4-20 screw


Attach the ballhead.



Leg release button

Press to spread the legs to the maximum base. Close the legs to use the tripod as a handheld grip.

Important! Set the tripod to its widest base when the ring light is attached.



Controller

Ⓝ

Color temperature

Select cool, warm, or neutral color temperature settings.

Ⓟ


Brightness

Press repeatedly to increase or decrease the 10-step brightness.

Ⓞ

Power button

Press to turn the light on or off.



Smartphone Adapter

Q

Smartphone clamp

Fits phones 2.4 to 3.5 inches wide.

R

1/4-20 sockets

Attach to the ballhead.

Specifications

Input	5 V
Power Connector	USB Standard-A
Color Temperature	3 step (cool, warm, neutral)
Brightness	10 step
Smartphone Compatibility	2.4 to 3.5 in. (6.1 to 8.9 cm)
Cable Length	6.3 ft. (2 m)
Dimensions	Height: 3.9 in. (9.9 cm) min 6.9 in. (17.5 cm) max Ring Light Diameter: 8 in. (20.3 cm) Depth: 1 in. (2.5 cm) Accessory Arm Length: 10.5 in. (26.7 cm) Ballhead Height: 2.1 in. (5.3 cm)
Load Capacity	2.2 lb. (1 kg)



www.obensupports.com

Oben is a registered trademark of the Gradus Group.
© 2021 Gradus Group LLC. All Rights Reserved.