



Orange-Casual

## Wicker Sofa Set

sku:WF-003



### Thank you for choosing Orange-Casual!

Our goal is to provide high quality outdoor furniture with outstanding customer service-all at an affordable price.

Please let us know how we are doing!

### Problems?

(Missing pieces, wrong pieces...)

We will fix it Immediately. Send us an email at

**[support@orange-casual.com](mailto:support@orange-casual.com)**.

### Happy?

Please leave us a review !

You can make others happy too!



**IMPORTANT, RETAIN FOR  
FUTURE REFERENCE:  
READ CAREFULLY.**

- ☒ For domestic use only.
- ☒ Always use on firm level ground.
- ☒ Don't tighten all the bolts before the product is fully assembled.
- ☒ It would be useful to ask someone to help you assemble the product.
- ☒ Periodic structural checks of this product should be undertaken, do not use if you have any doubts about its fitness for purpose.
- ☒ Do not stand on the seat.
- ☒ Do not sit on the armrest.
- ☒ Do not let children play with this product.
- ☒ Maximum load per seat: 250 lbs.

- ☒ Check to ensure that all components and fixings of this product are secure, do not use if you have any doubts about its fitness for purpose.

- ☒ This product should be stored under cover during prolonged spells of adverse weather (wet or cold) and also during the winter (ideally in a garden shed or garage).
- ☒ Always clean and dry thoroughly before storage.

## Safety for tempered glass

- ✓ If the glass is chipped or broken, stop using the table and consult us for help.
- ✓ Do not place very hot or very cold items on the glass surface unless adequately thick table mats are used to prevent such items from coming into contact with the glass.
- ✓ Do not sit or stand upon the glass surface.
- ✓ Do not use the glass as a chopping surface. Do not strike the glass with hard or pointed items.




### NOTE:


If the glass is defective or damaged upon arrival, please take detailed photos of the damage and email us at [support@orange-casual.com](mailto:support@orange-casual.com). We will resolve the issue for you.

## Tips for Cushions

In order to compress the package, we put the cushions in the gap of some parts. So there may be crinkle on the fabric. Don't worry. Just flap every corner of the cushion evenly and it will get back into its original shape soon.



## COMPONENT LIST - ARMCHAIR\*2

| Item no. | Reference Image                                                                     | Description              | Qty. |
|----------|-------------------------------------------------------------------------------------|--------------------------|------|
| H        |    | Chair Seat               | 1    |
| J        |    | Chair Leg                | 1    |
| K        |    | Chair Leg                | 1    |
| M        |    | Pillow                   | 1    |
| N        |    | Seat Cushion             | 1    |
| E        |    | M6X15<br>Head Cap Screws | 4    |
| F        |   | M6X30<br>Head Cap Screws | 1    |
| G        |  | Washer                   | 5    |
| L        |  | Allen Key                | 1    |

### **NOTE:**

Do NOT tighten any screws fully first until you have tightened all the screws.



This may cause the frame to warp.

If there is still wobbles or screw holes cannot be aligned, loosen the screws and tighten sequentially.

If the Chair is not stable it could lead to damage to the product.

1



Attach the Chair Leg (J) to the Chair Leg (K) by securing with M6X30 Head Cap Screws (F) and Washers (G). Do this in 1 place.



**NOTE:**DO NOT TIGHTEN THE SCREWS COMPLETELY.

2


Attach the Chair Legs (J) & (K) to the Chair Seat(H) by securing with M6X15 Head Cap Screws (E) and Washers (G). Do this in 4 places.



**NOTE:DO NOT TIGHTEN THE SCREWS COMPLETELY.**

3


Tighten all 5 Screws into place with Allen Key (L).






**NOTE:**IF ANY SCREW HOLES CANNOT BE ALIGNED,  
LOOSEN ALL THE SCREWS AND GO BACK STEP  
1 AND RESTART ASSEMBLY.

4

Place the chair on a level surface, then  
place the Seat Cushion (N) & Pillow (M)  
on the chair. Your chair is ready for use.



## COMPONENT LIST - OTTOMAN\*2

| Item no. | Reference Image                                                                     | Description              | Qty. |
|----------|-------------------------------------------------------------------------------------|--------------------------|------|
| O        |    | Top Panel                | 1    |
| P        |    | Ottoman Leg              | 1    |
| Q        |    | Ottoman Leg              | 1    |
| R        |    | Ottoman Cushion          | 1    |
| E        |    | M6X15<br>Head Cap Screws | 4    |
| F        |   | M6X30<br>Head Cap Screws | 1    |
| G        |  | Washer                   | 5    |
| L        |  | Allen Key                | 1    |

### **NOTE:**

Do NOT tighten any screws fully first until you have tightened all the screws.


This may cause the frame to warp.

If there is still wobbles or screw holes cannot be aligned, loosen the screws and tighten sequentially.

If the Ottoman is not stable it could lead to damage to the product.

1


Attach the Ottoman Leg (P) to the the Ottoman Leg (Q) by securing with M6X30 Head Cap Screws (F) and Washers (G). Do this in 1 place.



**NOTE:**DO NOT TIGHTEN THE SCREWS COMPLETELY.

2


Attach the Ottoman Legs (P) & (Q) to the Top Panel (O) by securing with M6X15 Head Cap Screws (E) and Washers (G). Do this in 4 places.



**NOTE:DO NOT TIGHTEN THE SCREWS COMPLETELY.**

3


Tighten all 5 Screws into place with Allen Key (L).




**NOTE:**IF ANY SCREW HOLES CANNOT BE ALIGNED, LOOSEN ALL THE SCREWS AND GO BACK STEP 1 AND RESTART ASSEMBLY.

4

Place the Ottoman on a level surface, and put the Ottoman Cushion (R) on the Ottoman. Now your Ottoman is ready for use.



## COMPONENT LIST - ROUND TABLE

| Item no. | Reference Image                                                                     | Description              | Qty. |
|----------|-------------------------------------------------------------------------------------|--------------------------|------|
| A        |    | Table Top Frame          | 1    |
| B        |    | Table Leg                | 1    |
| C        |    | Table Leg                | 1    |
| D        |    | Table glass              | 1    |
| E        |    | M6X15<br>Head Cap Screws | 4    |
| F        |    | M6X30<br>Head Cap Screws | 1    |
| G        |  | Washer                   | 5    |
| L        |  | Allen Key                | 1    |

### **NOTE:**

Do NOT tighten any screws fully first until you have tightened all the screws.



This may cause the frame to warp.

If there is still wobbles or screw holes cannot be aligned, loosen the screws and tighten sequentially.

If the Table is not stable it could lead to damage to the product.

1



Attach the Table Leg (B) to the Table Top Frame (A) by securing with M6X15 Head cap screws (E) and Washers (G). Do this in 2 places.



**NOTE:**DO NOT TIGHTEN THE SCREWS COMPLETELY.

2



Attach the Table Leg (C) to the Table Top Frame (A) by securing with M6X15 Head cap screws (E) and Washers (G). Do this in 2 places.



**NOTE:**DO NOT TIGHTEN THE SCREWS COMPLETELY.

3


Attach the Table Leg (C) to the Table Leg (B) by securing with M6X30 Head cap screws (F) and Washers (G). Do this in 1 place.



**NOTE:**DO NOT TIGHTEN THE SCREWS COMPLETELY.

4

Tighten all 5 Screws into place with Allen Key (L).



**NOTE:** IF ANY SCREW HOLES CANNOT BE ALIGNED, LOOSEN ALL THE SCREWS AND GO BACK STEP 1 AND RESTART ASSEMBLY.

5

Place the table on a level surface. Put the Table Glass (D) on the Table Top Frame (A). Now your Table is ready for use.

