

FEATURES

- Excellent UV resistance
- Flame retardant: UL 94V-2 Flammability Standard
- Suitable for a multitude of uses
- Easy to thread and install
- Ideal for use outdoors

RS PRO Black Nylon Cable Tie, 300mm x 7.6 mm

RS Stock No.: 811-1511



RS Professionally Approved Products bring to you professional quality parts across all product categories. Our product range has been tested by engineers and provides a comparable quality to the leading brands without paying a premium price.



Product Description

These ties are a one-piece, self-locking fastener and function like straps to keep cables tidy. They are available in a range of sizes. The design of a cable tie includes a head which provides the slot for the tape to be pulled through, to make a loop. The cable can be pulled through the slot until the preferred loop is achieved and then the excess cable can be cut off.

General Specifications

Type	Non-Releasable
Colour	Black
Material	Nylon 66
Application	Cable management Home/DIY Garden
Minimum Operating Temperature	-40°C
Maximum Operating Temperature	85°C
Fire Behaviour	Flame Retardant
Quantity	100

Mechanical Specifications


Length	300mm
Width	7.6mm
Tensile Strength	539N
Maximum Bundle Strength	80mm



Approvals

Standards Met

UL 94V-2



Unit : mm

Item No.	Length L		Width W	Max. Bundle Dia.	Min Loop Tensile Strength		packing
	mm	inch			lbs	kgs	
8111482	100	4"	2.5	22	18	8	100PC/BG
8111486	142	5 1/2"	3.2	34	40	18	
8111495	190	7 1/2"	4.8	49	50	22	
8111498	203	8"	4.6	52	50	22	
8111518	240	9 7/16"	7.6	61	120	55	
8111505	300	11 7/8"	4.8	83	50	22	
8111511	300	11 7/8"	7.6	80	120	55	
8111509	380	15"	7.6	105	120	55	
8111492	385	15 3/16"	4.8	110	50	22	
8111502	450	17 3/4"	4.8	131	50	22	
8111515	450	17 3/4"	8	128	120	55	
8111524	610	24"	9	177	175	80	
8111527	750	29 1/2"	7.5	223	120	55	