

Tunable 8FT Vapor Tight Light

FEATURES:

- Lampshade-inner surface stripe design make the light diffusion angle greater and the light more uniform;
- Made of high quality PC material, high ignition point, more safe;
- DLC Premium listed as LED Vapor Tight light ;
- Excellent efficacy: >140lm/w;
- Quick Installation;
- Instant on;
- 5 years warranty;

Additional Information:

- o Power: 65W/75W/90W
- o Input: AC120-277V
- o CCT : 3500K/4000K/5000K
- o Light Source:SMD 2835LEDs
- o Driver: WELEDPower

MODEL #	
PROJECT:	
NOTES:	
DATE:	
PREPARED BY:	



APPLICATIONS:



Super market



Farm



Parking garage



Warehouses





Tunable 4FT Vapor Tight Light

TECHNICAL PARAMETERS:

Type	ORE-TVTL-90W-8FT-SCT-UNV		
Power	65W/75W/90W	Lighting Angle	118°
Input Voltage	AC120-277V	LED Brightness Decay	< 5%/6000 hr s
PF	>0.90	Working Life	> 75000 hrs
Driver Efficiency	>87%	Working Temperature	-30 - + 45 'C
Luminous Flux	9295lm/10500lm/12364lm	Storage Temperature	-40 -+ 80' C
Color Temperature	3500K/4000K/5000K	Protection Level	Wet Location
CAI	Ra> 80	Cable	3core ,18 AWG (0.5 m)
Mounting	Surface Mounting	Optional dimming function	0-10 Vdc



PHOTOMETRY:



LED 4FT Vapor Tight Light

DIMENSIONS :

Part No.	L	W	H
ORE-TVTL4FT45WUNV	49.80 in	5.0 in	3.5 in
ORE-TVTL8FT90WUNV	94.50 in	5.0 in	3.5 in




PACKING INFO:

Part No.	Qty./Ctn	Ctn size	N.W. (lbs/Ctn)	G.W. (lbs/Ctn)	Qty./Pallet
ORE-TVTL4FT45WUNV	4pcs	51.9"x11.3"x 8"	6.0lbs	6.51bs	90pcs
ORE-TVTL8FT90WUNV	4pcs	96.8"x10.9"x8"	11.24lbs	11.80bs	N/A

PERFORMANCE DATA:

Size	Part No.	Power	luminous Flux	Input Voltage	PF	Ra	Beam Angle	Warranty	Certificate
4FT	ORE-TVTL4FT45WUNV	45W	6494LM	AC120-277V	>0.9	>80	118	5 Years	CUL&Premium
8FT	ORE-TVTL8FT90WUNV	90W	12364LM	AC120 -277V	>0.9	>80	118	5 Years	CUL&Premium

DIMMING CONNECTION:



ORDERING EXAMPLE: ORE-TVTL-90W-8FT-SCT-UNV

ORE	VP	8FT	90W	27	KKK	Z	E
Company	Product	Size	Power	Voltage	ColorTemp	FINISH	Control
ORE LIGHTING	TVTL Vapor Tight	4FT(4 feet) 8FT(8 feet)	45 (45 W) 90 (90 W)	27 AC120-277V	35K 3500K 4K 4000K 5K 5000K	W[White)	M Motion Sensor



LED 4FT Vapor Tight Light

EMERGENCY BACK-UP (SOLD SEPARATELY)



BLD-CM08E-60V
8W Emergency Backup Battery
LED Driver

BLD-CM15H-YYY
15W Emergency Backup Battery
LED Driver

BLD-CM20H-YYY
20W Emergency Backup Battery
LED Driver

CONTROL (SOLD SEPARATELY)



BRI810 // BRI810-B-M10
Microwave Motion Sensor



RC-100
Microwave Sensor
Remote Controller

FEATURES

- Made of high quality ABS material, high ignition point, more safe.
- With PC lens.
- Lampshade-inner surface stripe design make the light diffusion angle greater and the light more uniform.
- 1-10V dimming.

WATT/CCT
FIELD-ADJUSTABLE

Simply select desired CCT and
Wattage before installation

