



An AIRXCEL Brand



SkyMaxx & SkyMaxx Plus

Data Inquiry Sheet

Model: 00-97500

Plus Model: 00-97510

Features		
Model	00-97500	00-97510
Manual Lift with 3 open positions	X	X
Pleated Screen & Shade: Provides option of full sun, full shade, partial shade/sun combination	X	X
Fits 15.75 inches x 15.75 inches (400mm x 400mm) Opening	X	X
Passive Ventilation (Refer to Diagram for details)	X	X
Interior Frame (White)	X	X
Roof Thickness 0.90 to 2.36 inches (23mm to 60mm)	X	X
LED Light in Interior Frame*		X
RoHS Compliant	X	X
CE Listed	X	X
R43	X	X

*Rooflight with LED operates on 12 Volt DC, 2 amp service. Circuit must be fused. OEM to provide wall control for LED models.

10-13-22






An AIRXCEL Brand

Ventilation

Total Passive Ventilation
in Upper Unit 75 cm²








Passive Ventilation Interior Frame
with Shade Fully Expanded 26 cm²





An AIRXCEL Brand



INTERIOR

NOTE:
Dimensions in millimeters
[inches are in brackets]



AIRXCEL, INC. – RV Products Division/MAXXAIR
3050 N. St. Francis St. • Wichita, KS 67219 • 316.832.3400

